

Exploring Virtual Reality Art Interventions for Mental Health among University Students: A Bibliometric Analysis (2014–2024)

Li Huang, Dong Xia Guan, Kamal Sabran*

Department of New Media Design and Technology, School of The Arts, Universiti
SainsMalaysia, 11800 Gelugor, Penang, Malaysia

Email: huangli@student.usm.my, guandongxia@student.usm.my

Corresponding Author Email: kamalsabran@gmail.com

To Link this Article: <http://dx.doi.org/10.6007/IJARBSS/v15-i2/24515> DOI:10.6007/IJARBSS/v15-i2/24515

Published Date: 04 February 2025

Abstract

Existing research highlights the effectiveness of virtual reality (VR) and art therapy (ART) in improving mental health. Virtual reality art interventions (VRAI) offer a promising avenue for exploring innovative tools to enhance positive emotions and mental health among university students. However, a significant research gap exists regarding the comprehensive analysis of the intersection between VR, art therapy, and mental health. This study employs first bibliometric analysis using the Web of Science (WOS) database from 2014 to 2024, utilizing VOSviewer 1.6 for statistical visualization and analysis. The research objectives include identifying research hotspots and clusters, trends, and gaps in VRAI for university student mental health. This bibliometric analysis reveals a significant upward trend in scholarly activity at the intersection. This preliminary investigation provides key insights supporting the integration of Virtual Reality Art Interventions (VRAI) into mental health programs, with the aim of aiding university students in regulating emotions. The findings the potential tool of virtual reality art interventions for mental health, particularly virtual painting, with significant contributions from cross-disciplinary studies.

Keywords: Virtual Reality (VR), Art Therapy), Mental Health, University Students, Bibliometric Analysis

Introduction

Although the benefits of Virtual Reality (VR) and Art Therapy (ART) in mental health have been widely recognized, their combined application remains insufficiently explored. The integration of immersive VR environments with artistic engagement represents a novel yet underexamined approach to fostering emotional.

Mental health issues are a significant global concern, particularly among adolescents and young adults (Kusumawati et al., 2023). In Chinese culture, familial and societal pressures to perform academically increase university students' psychological stress (Zhang, 2022). Gao (2020) and Sun (2022) reported a depression prevalence of over 20% among Chinese college students, with depression and anxiety identified as the primary mental health challenges. This demographic is at a critical stage of psychological development, facing pressures related to academics, interpersonal relationships, and self-identity. Consequently, they are highly susceptible to psychological challenges, including depression, anxiety, and social phobias. In China, the mental health index of youth aged 18-24 is notably lower than other age groups, with a depression risk detection rate of 24.1% (Dong et al., 2020). According to Sharma (2022), such challenges not only reduce quality of life but also impair academic performance, social dysfunction, and even extreme behaviors like self-harm or suicide. The World Health Organization (WHO) advocates for the effectiveness of digital interventions in addressing depression among young Chinese adults (Li et al., 2024), supported by 89 studies on digital interventions for depression, anxiety, and psychological well-being among college students (Lattie et al., 2019). To enhance student well-being, a framework of digital mental health interventions (DMHI) has been introduced to university settings, drawing from works by Glasgow, Phillips, & Sanchez (2014), Graham & Fitzsimmons-Craft (2022), Greenhalgh et al. (2017), and Mohr et al. (2017).

Andrews et al. (2015) emphasized the attractiveness of virtual reality (VR) to the younger demographic, highlighting its youthful, vibrant, and informal appeal (Gill et al., 2022). With a focus on university students (NBS, China, 2020), VR interventions are tailored to stimulate engagement, foster interaction, and enhance communication within this age group.

The rise of virtual reality (VR) technology since the 1990s offers a transformative approach to mental health interventions (Lindner, 2021). Its immersive, interactive, and creative attributes have found applications across diverse fields, from military training (Lobban & Murphy, 2020) to healthcare (Lányi, 2006) (Zuo et al., 2024). In psychological therapy, VR has been employed for the assessment, diagnosis, and treatment of conditions like anxiety (P. Yang, 2024), phobias (Botella et al., 2017), and post-traumatic stress disorder (PTSD) (Wiebe et al., 2022). By creating controlled virtual environments, individuals can confront fears and process traumatic memories safely.

A growing body of literature links virtual reality art interventions (VRAI) to improvements in physical and mental health as well as emotional well-being (Hacmun et al., 2021) (Hadjipanayi et al., 2023) (Kaimal et al., 2020). In sum, digital interventions, particularly VR, hold considerable promise in enhancing the well-being of university students by facilitating new forms of engagement and communication.

Art therapy, another effective psychological intervention, supports emotional regulation and fosters self-expression (Lith, 2016). Cheng et al., (2023) and other researchers indicated that drawing art therapy adjusts users' emotions, guided generation of deep emotional expression and helpful emotional responses (Fan et al., 2019).

A number of studies have used bibliometric analysis the significant progress of virtual reality (VR) research in areas as diverse as Evolution of Virtual Reality in Medicine (Zuo et al., 2024)

、 in Education (Zhao et al., 2023), Acceptance(Wang et al., 2024)、 Emotions(Biercewicz et al., 2024)(Jingili et al., 2023); The widespread application of VR depends heavily on user acceptance and emotional responses. Wang et al. (2024) highlighted that factor such as usability, perceived enjoyment, and technical reliability drive acceptance of VR technologies across diverse populations. Meanwhile, Biercewicz et al. (2024) and Jingili et al. (2023) investigated VR's emotional impact, noting its ability to evoke engagement, empathy, and stress relief, making it particularly relevant to mental health interventions. A bibliometric analysis of art therapy revealed consistent research emphasis on its psychological benefits, including stress reduction, emotional regulation, and self-expression(Homavandi et al., 2024) (Liu et al., 2022)

Existing research highlights the efficacy of both virtual reality (VR) and art therapy promoting mental health. The integration of VR and art therapy represents a promising avenue for innovative mental health interventions. Despite this potential, studies combining VR with art-based approaches for mental health remain limited. This study aims to fill this gap through the first application of a decade-long bibliometric analysis, systematically exploring the research hotspots, trends, and gaps in VR art interventions for mental health. The research will provide insights for advancing digital mental health interventions and enhancing their application in non-clinical.

Research Objectives

1. To identify research hotspots and clusters in virtual reality art interventions (VRAI) and mental health using bibliometric analysis.
2. To explore research trends in VRAI interventions for mental health through bibliometric analysis.
3. To examine gaps in research directions for VRAI interventions

Research Questions

1. What are the key research hotspots and clusters in VRAI interventions for mental health?
2. What research trends have shaped the understanding of VRAI interventions over the past decade?
3. What gaps exist in the research directions for future studies on VRAI interventions?

Methods

Research Design

Macro-level research on the role of VR art interventions (VRAI) in supporting mental health remains limited. This study aims to address this gap by conducting a bibliometric analysis of VRAI's contributions to mental health, offering foundational guidance for its applications in the psychological domain. Using bibliometric coupling analysis (BCA) and term co-occurrence analysis (TCA), the study provides a quantitative framework to identify research hotspots, explore trends, and analyze gaps in research directions(Ali et al., 2022)

Identifying Research Hotspots and Clusters

Bibliometric coupling analysis (BCA) was performed using VOSviewer to group publications based on shared bibliographies. This approach facilitated the identification of key research

clusters and themes in VRAI interventions. By analyzing shared references among publications, BCA enabled the delineation of thematic research areas within the field.

Exploring Research Trends

Term co-occurrence analysis (TCA) was conducted using VOSviewer to analyze the frequency and relationships of terms in article titles and abstracts. This method provided valuable insights into the evolution of research trends over the past decade. By visualizing relationships among frequently occurring terms, TCA facilitated the identification of emerging trends and research gaps within the dataset.

VOSviewer Software

Wong (2018) noted that VOSviewer, developed by the Center for Science and Technology Studies at Leiden University, was used to construct and visualize bibliometric networks. Its clustering and graphical representation capabilities provided an intuitive understanding of large bibliographic datasets.

Research Methodology

The research protocol, which comprises Four stages. The study employed a structured methodology to achieve its research objectives.

First, Selection Data Collection, relevant publications were retrieved from the Web of Science Core Collection and organized in Excel.

Second, Bibliometric analyses, including bibliometric coupling and term co-occurrence analyses, were performed using VOSviewer to identify research clusters, hotspots, and trends.

Third, Term Co-occurrence Analysis, a term co-occurrence map was generated and analyzed to examine term frequencies and co-occurrences within article titles and abstracts. These visual data allowed researchers to identify latent patterns and pose new questions for further investigation.

Finally, insights from quantitative analyses provided a comprehensive perspective on the current state and future directions of VRAI research for mental health.

Ethical Considerations

As this study involved secondary data analysis, no direct ethical concerns were identified. All bibliometric data were sourced from publicly accessible databases, ensuring full compliance with ethical and data privacy standards. This methodological approach combined quantitative rigor with qualitative depth, facilitating a comprehensive exploration of the research objectives(Kuc-Czarnecka & Olczyk, 2020).


Article Selection

Figure 1. The PRISMA flow diagram illustrates the data collection and inclusion process. This systematic review was conducted following the PRISMA guidelines (Tricco et al., 2018), known for ensuring rigor and transparency. As shown in Figure 1, these guidelines facilitated a comprehensive and systematic research process.

The article selection process for this bibliometric review followed a systematic and rigorous methodology. In selecting high-quality data representations and structures suitable for quantitative bibliometric studies. Initially, 18,124 articles were identified through a keyword search on the Web of Science database using the terms "VR" OR "Virtual reality" AND "art" AND "university" AND "therapy." Articles were then filtered based on predefined inclusion and exclusion criteria. Studies published between 2014 and 2024 were retained, narrowing the selection to 13,129 articles. Further filtering included document types restricted to articles and early-access publications ($n=11,421$), language limited to English ($n=11,352$), and indexing within SSCI, SCI, and A&HCI ($n=11,352$). Subsequently, a manual screening process was conducted to assess the relevance of these articles based on their content, resulting in a final set of 1,000 articles. These studies were selected for systematic review based on their explicit focus on the intersections of virtual reality, art therapy, university settings, and mental health. This methodical approach ensured a high level of precision and relevance, providing a robust foundation for the bibliometric analysis.

Results

The search identified 1,000 relevant articles from the Web of Science Core Collection, focusing on the intersection of "VR," "art," "university," and "therapy." The review addresses the challenge of the multifaceted nature of "art," often defined as self-expression, by contextualizing it within therapy and healing. This review examines "VR users" as the population, "the creation of visual artworks in immersive VR environments" as the central concept, and "therapy" as the context. The findings highlight growing academic interest in using VR as a tool for artistic and therapeutic applications, particularly in university settings.


The Trend of Publications from 2014-2024

Figure2. A graph illustrating the trend of publications from 2014-2024

Figure 2 illustrates the annual publication and citation trends in the research domain from 2014 to 2024, highlighting significant growth and key developments. Between 2014 and 2019, publication output increased steadily, reflecting growing academic interest and foundational exploration of this interdisciplinary field. A sharp acceleration occurred from 2020 to 2022, peaking in 2021 with over 500 publications annually. This surge corresponds to advancements in virtual reality (VR) technologies and increased global interest in digital mental health solutions during the COVID-19 pandemic. Concurrently, cumulative citations rose substantially, reaching their highest level in 2024, underscoring the growing influence of early foundational works and the impact of recent studies.

After the 2021 peak, publication rates stabilized in 2022 and 2023, indicating a potential transition to a more mature phase of research characterized by incremental advancements rather than exploratory studies. Despite this stabilization, the continued rise in citation counts reflects the enduring relevance of prior contributions. Compared to the modest publication activity in 2014–2016, the recent growth demonstrates the field's rapid evolution and interdisciplinary importance. This trend signifies a shift from foundational research toward consolidation and refinement, emphasizing the need for advanced VR methodologies and expanded mental health applications to sustain momentum and address emerging research gaps.

Research Hotspot

Figure 3 Shown the hotspot research clearly indicates that the focus of the field is mostly on "virtual reality" "key word, which can be categorized into aspects:

(b) Recognition and Deep Learning

Keywords: "recognition," "deep learning," "object tracking," "machine learning."

Focus: Integration of AI technologies into VR enables personalized and adaptive user experiences.

Relevance: Particularly beneficial in addressing anxiety and stress among university students through real-time emotional analysis and feedback.

(c) Education and Design

Keywords: "education," "design," "students," "learning."

Focus: VR's application in academic settings enhances both educational outcomes and user-centered therapy designs.

Relevance: Demonstrates VR's dual role as a learning tool and mental health intervention for university students.

(d) Emotion and Rehabilitation

Keywords such as "emotion," "mental health," and "rehabilitation." emphasize VR's use in promoting emotional well-being and recovery from psychological issues.

This aligns with the study's focus on VR as an intervention for university students experiencing mental health as a therapeutic tool.

(e) Technology and Systems

Terms like "system," "technology," "optimization," and "virtual reality technology" indicate an ongoing emphasis on technological advancements and system optimization.

Such advancements ensure VR's reliability and scalability for broader mental health applications.

These research hotspots demonstrate VR's transformative potential in addressing mental health and educational challenges. The integration of AI, user-centered design, and advanced systems ensures VR's continued relevance and impact across interdisciplinary domains.

“Virtual Reality” serves as the pivotal term connecting diverse domains, including education, psychological interventions, and artistic experiences. The strong association between education and emotional regulation highlights VR’s dual functionality in learning environments and psychological support. The integration of “Deep Learning” and “Recognition” illustrates a trend toward personalized and adaptive interventions. The convergence of visual design (e.g., “3D displays”) and psychological health interventions (e.g., “rehabilitation”) underscores VR art’s diverse potential in therapeutic contexts.

Figure 4, generated using VOSviewer, identifies five primary keyword clusters associated with VR-based art applications: psychological and physiological factors, design and evaluation, user-perceived art forms, visual design, and technical and service support. These clusters highlight VR’s interdisciplinary applications and diverse potential in the arts. Keywords such as “anxiety,” “mental health,” “cognition(Mejia-Puig & Chandrasekera, 2022),” and “immersion(Frost et al., 2022)” highlight VR’s role in addressing psychological health issues, including anxiety reduction, emotional expression, and cognitive regulation. This cluster emphasizes how VR directly influences emotional and mental states, offering new avenues for psychological interventions. Keywords like “creativity(X. Yang, Gebbing, et al., 2023),” “cognitive load(X. Yang, Cheng, et al., 2023),” and “satisfaction “stress the importance of user-centric design and evaluation. Effective interaction design and visual optimization are critical for enhancing user engagement and satisfaction. Furthermore, balancing cognitive load with information delivery ensures optimal user experiences. Keywords such as “museum,” “cultural heritage, “and “user perception(Solmaz et al., 2024)” reflect the significance of user experience in presenting artistic content. Immersive VR environments enable innovative art delivery, particularly in educational and cultural contexts. Terms like “3D displays,” “forms,” and “color(Kim et al., 2022) “underline VR’s central role in visual arts. Research demonstrates how visual design significantly impacts users’ aesthetic experiences and engagement levels, expanding VR’s potential in educational and cultural art dissemination. Keywords such as “systems,” “machine learning,” and “service “emphasize the necessity of robust technical infrastructure for VR systems. Advanced technologies like machine learning and optimized network services support scalable and dynamic VR applications.

VR art interventions demonstrate a convergence of psychological intervention, user experience design, and advanced technical systems. The intersection of visual effects (e.g., “3D displays”) with psychological health interventions (e.g., “emotion regulation”(Haeyen & Noorthoorn, 2021)) emerges as a focal area, highlighting VR’s capacity to provide innovative mental health support for university students. Integration of artificial intelligence and visual technologies enhances the adaptability and personalization of VR interventions, further solidifying their application in educational and mental health domains.

academic pressures, career planning, and life adjustments, underscore the psychological needs of this population.

The “Art Therapy” node reflects a niche but growing field. However, compared to other modalities, such as music(Yang, 2024) and movement(McAnally & Wallis, 2023), virtual reality art-based interventions (e.g., painting and drawing) are underrepresented in existing studies. Current research often emphasizes the technical aspects of VR technology, such as the shape, color, and flow of visual indicators, while focusing less on its mental health efficacy. Research on the psychological regulatory effects of visual art forms remains largely unknown. These applications often emphasize self-expression and emotion regulation but lack alignment with emotion-centered user needs in VR.

These gaps and challenges indicate that current research has shortcomings in terms of target groups, emotional range, and the diversity of intervention methods, limiting the full application of virtual reality technology in mental health.

Record Counts by Publication




Figure.7 Record Counts by Publication Title in Virtual Reality and Art Therapy Research
 Figure.7 reveals the distribution of publication records across various journals, highlighting 'Frontiers in Psychology' as the leading source with the highest record count, followed by 'Cyberpsychology Behavior and Social Networking' and 'Computers in Human Behavior.' This indicates the interdisciplinary nature of Virtual Reality and Art Therapy research, spanning psychology, human behavior, and ergonomics. The analysis of publication titles reveals that *Frontiers in Psychology* dominates VR-related research with 13.374% of the total publications, emphasizing the centrality of psychology in VR applications, particularly for mental health,

emotional regulation, and cognitive interventions. Supporting journals such as *Cyberpsychology, Behavior, and Social Networking* (4.409%) and *Computers in Human Behavior* (4.212%) highlight VR's integration with human behavior and social interactions, while niche journals like *AIDS Care* (3.202%) and *Psychological and Socio-Medical Aspects of AIDS/HIV* (3.128%) indicate its relevance in healthcare settings. The table also underscores VR's multidisciplinary reach, with contributions from ergonomics (*Applied Ergonomics*, 2.266%) and environmental studies (*Environmental Psychology*, 1.404%), reflecting its application in workspace optimization and environmental contexts. The collaborative dominance of the University of Washington, with strong partnerships across the USA and Europe, mirrors this interdisciplinary approach. European institutions like University College London and University of Barcelona contribute significantly to healthcare and behavioral studies, aligning with the diverse themes represented in the journals. Underrepresented areas such as developmental disorders (*Journal of Autism and Developmental Disorders*, 1.108%) and physical rehabilitation suggest emerging opportunities for VR research. These findings highlight VR's transformative potential across fields, with future growth expected in niche areas like movement therapy, cognitive interventions, and environmental applications.

Future Directions

This study highlights VR's transformative role in mental health interventions, particularly its potential to support university students through a blend of artistic design and technological innovation. Future research should explore the integration of psychological frameworks with multimodal technologies, focusing on visual arts and advanced systems to optimize therapeutic outcomes. Systematic evaluations of user experiences and short- and long-term outcomes are needed to establish intervention effectiveness. Experimental methodologies for assessing interventions should also be developed. VR art interventions present significant potential in education and non-clinical mental health therapy, especially for university students in resource-limited contexts. These interventions offer scalable, practical solutions for addressing psychological needs through innovative means. This analysis demonstrates VR art interventions' potential as a transformative tool for advancing educational and psychological outcomes. Further research should aim to refine their functionality and expand their accessibility to diverse populations.

Limitations

This study acknowledges two primary limitations. First, it exclusively examines literature published between 2014 and 2024. Although studies from 2025 are available, they were excluded from the analysis, potentially limiting the study's temporal scope. Second, the study relies solely on the Web of Science (WOS) database, a widely utilized academic resource. The inclusion of citations from other databases, such as Scopus or Taylor & Francis, might yield differing results and provide a broader perspective.

Conclusion

The visualization highlights key hotspots in VR research, focusing on emotions, mental health, and intervention strategies. Although the field is advancing toward integrating emotion recognition and validation into VR interventions, there is an urgent need to expand research into preventive applications and develop tailored solutions for underserved populations. Future studies should aim to bridge these gaps by examining the intersection of VR, emotional well-being, and the unique challenges faced by specific populations. This study emphasizes

the potential of VR combined with art to support preventive roles in mental health interventions for university students.

Future research should explore the integration of psychological frameworks with multimodal technologies, prioritizing visual arts and system modeling to optimize therapeutic outcomes. Assessments of user experiences and outcomes are necessary to determine the effectiveness of interventions. Experimental methods should also be developed to evaluate these interventions comprehensively. This analysis underscores the transformative potential of VR art interventions (VRAI) as tools for promoting educational and psychological outcomes. Further studies should aim to confirm the accessibility of VRAI as a preventive mental health tool targeted at university populations.

This study represents the first bibliometric analysis of Virtual Reality Art Interventions (VRAI) addressing university students' mental health, examining the field's growing accessibility. Existing research predominantly focuses on intervention applications rather than therapeutic uses, with limited attention to the specific needs of university populations. While progress has been made in integrating emotion recognition and validation into VR interventions, expanding research into preventive applications remains a critical priority. Among the leading journals in this field, *Frontiers in Psychology* stands out as particularly influential.

Future investigations should explore the mechanisms and efficacy of VR-based artistic painting interventions in emotional regulation. Researchers are encouraged to develop personalized VRAI methods tailored to the mental health needs of university students, emphasizing emotional regulation. The combination of virtual reality with complementary therapies, such as art therapy, offers significant potential to enhance therapeutic outcomes. The integration of VR, art, and mental health reflects an increasingly interdisciplinary shift, combining technology, creativity, and psychological treatment.

These findings provide a foundation for developing evidence-based VR interventions in mental health. By tracing the evolution of VR-based art interventions, this study identifies key trends and applications, offering a framework for their integration into university counseling and Digital Mental Health Intervention (DMHI) programs. The results highlight the potential of VRAI to support emotional regulation, positioning it as a valuable tool in mental health.

Data Availability

The datasets generated and/or analyzed during the current study are available from the corresponding author on reasonable request.

References

- Ali, Q., Heldal, I., & Helgesen, C. G. (2022). A Bibliometric Analysis of Virtual Reality-Aided Vision Therapy. In J. Mantas, P. Gallos, E. Zoulias, A. Hasman, M. S. Househ, M. Diomidous, J. Liaskos, & M. Charalampidou (Eds.), *Studies in Health Technology and Informatics*. IOS Press. <https://doi.org/10.3233/SHTI220781>
- Bell, I. H., Pot-Kolder, R., Rizzo, A., Rus-Calafell, M., Cardi, V., Cella, M., Ward, T., Riches, S., Reinoso, M., Thompson, A., Alvarez-Jimenez, M., & Valmaggia, L. (2024). Advances in the use of virtual reality to treat mental health conditions. *Nature Reviews Psychology*, 3(8), 552–567. <https://doi.org/10.1038/s44159-024-00334-9>
- Biercewicz, K., Włodarczyk, K., & Wiścicka-Fernando, M. (2024). Studying Consumer Emotions and Purchase Preferences in a Virtual Reality Environment: A Bibliometric Analysis. *Marketing of Scientific and Research Organizations*, 52(2), 105–128. <https://doi.org/10.2478/minib-2024-0012>
- Botella, C., Fernández-Álvarez, J., Guillén, V., García-Palacios, A., & Baños, R. (2017). Recent Progress in Virtual Reality Exposure Therapy for Phobias: A Systematic Review. *Current Psychiatry Reports*, 19(7), 42. <https://doi.org/10.1007/s11920-017-0788-4>
- Browning, M. H. E. M., Shin, S., Drong, G., McAnirlin, O., Gagnon, R. J., Ranganathan, S., Sindelar, K., Hoptman, D., Bratman, G. N., Yuan, S., Prabhu, V. G., & Heller, W. (2023). Daily exposure to virtual nature reduces symptoms of anxiety in college students. *Scientific Reports*, 13(1), 1239. <https://doi.org/10.1038/s41598-023-28070-9>
- Cheng, C., Elamin, M. E., May, H., & Kennedy, M. (2023). Drawing on emotions: The evolving role of art therapy. *Irish Journal of Psychological Medicine*, 40(3), 500–502. <https://doi.org/10.1017/ipm.2021.20>
- Dong, B., Zou, Z., Song, Y., Hu, P., Luo, D., Wen, B., Gao, D., Wang, X., Yang, Z., Ma, Y., Ma, J., Narayan, A., Huang, X., Tian, X., & Patton, G. C. (2020). Adolescent Health and Healthy China 2030: A Review. *Journal of Adolescent Health*, 67(5), S24–S31. <https://doi.org/10.1016/j.jadohealth.2020.07.023>
- Du, S.-C., Li, C.-Y., Lo, Y.-Y., Hu, Y.-H., Hsu, C.-W., Cheng, C.-Y., Chen, T.-T., Hung, P.-H., Lin, P.-Y., & Chen, C.-R. (2024). Effects of Visual Art Therapy on Positive Symptoms, Negative Symptoms, and Emotions in Individuals with Schizophrenia: A Systematic Review and Meta-Analysis. *Healthcare*, 12(11), 1156. <https://doi.org/10.3390/healthcare12111156>
- Erdős, S., & Horváth, K. (2023). The Impact of Virtual Reality (VR) on Psychological and Physiological Variables in Children Receiving Chemotherapy: A Pilot Cross-Over Study. *Integrative Cancer Therapies*, 22, 153473542311689. <https://doi.org/10.1177/15347354231168984>
- Fan, L., Yu, C., & Shi, Y. (2019). Guided social sharing of emotions through drawing art therapy: Generation of deep emotional expression and helpful emotional responses. *Proceedings of the Seventh International Symposium of Chinese CHI*, 65–78. <https://doi.org/10.1145/3332169.3333571>
- Frost, S., Kannis-Dymand, L., Schaffer, V., Milllear, P., Allen, A., Stallman, H., Mason, J., Wood, A., & Atkinson-Nolte, J. (2022). Virtual immersion in nature and psychological well-being: A systematic literature review. *Journal of Environmental Psychology*, 80, 101765. <https://doi.org/10.1016/j.jenvp.2022.101765>
- Gill, A. S., Irwin, D. S., Mareta, S., Towey, D., Wang, A., & Zhang, Y. (2022). A Pilot Study Investigating Student Interaction Preferences in Immersive Virtual Reality Environments. *2022 IEEE International Conference on Teaching, Assessment and*

- Learning for Engineering (TALE)*, 133–140.
<https://doi.org/10.1109/TALE54877.2022.00029>
- Hacmun, I., Regev, D., & Salomon, R. (2021). Artistic creation in virtual reality for art therapy: A qualitative study with expert art therapists. *The Arts in Psychotherapy*, 72, 101745. <https://doi.org/10.1016/j.aip.2020.101745>
- Hadjipanayi, C., Banakou, D., & Michael-Grigoriou, D. (2023). Art as therapy in virtual reality: A scoping review. *Frontiers in Virtual Reality*, 4, 1065863. <https://doi.org/10.3389/frvir.2023.1065863>
- Haeyen, S., & Noorthoorn, E. (2021). Validity of the Self-Expression and Emotion Regulation in Art Therapy Scale (SERATS). *PLOS ONE*, 16(3), e0248315. <https://doi.org/10.1371/journal.pone.0248315>
- Homavandi, H., Kashani, M. M., & Batooli, Z. (2024). Bibliometric and Subject Analysis of 100 Most-Cited Articles in the Field of Art Therapy. *Journal of Creativity in Mental Health*, 19(3), 406–421. <https://doi.org/10.1080/15401383.2023.2250248>
- Jingili, N., Oyelere, S. S., Ojwang, F., Agbo, F. J., & Nyström, M. B. T. (2023). Virtual Reality for Addressing Depression and Anxiety: A Bibliometric Analysis. *International Journal of Environmental Research and Public Health*, 20(9), 5621. <https://doi.org/10.3390/ijerph20095621>
- Kaimal, G., Carroll-Haskins, K., Berberian, M., Dougherty, A., Carlton, N., & Ramakrishnan, A. (2020). Virtual Reality in Art Therapy: A Pilot Qualitative Study of the Novel Medium and Implications for Practice. *Art Therapy*, 37(1), 16–24. <https://doi.org/10.1080/07421656.2019.1659662>
- Kim, J., Hwang, J.-I., & Lee, J. (2022). VR Color Picker: Three-Dimensional Color Selection Interfaces. *IEEE Access*, 10, 65809–65824. <https://doi.org/10.1109/ACCESS.2022.3184330>
- Kuc-Czarnecka, M., & Olczyk, M. (2020). How ethics combine with big data: A bibliometric analysis. *Humanities and Social Sciences Communications*, 7(1), 137. <https://doi.org/10.1057/s41599-020-00638-0>
- Kusumawati, Y. A., Putu Anggie Michaelia, N., & Sidharta, S. (2023). Mobile Application-Based Psychological to Improve College Student Mental Health. *2023 International Conference on Informatics, Multimedia, Cyber and Informations System (ICIMCIS)*, 508–513. <https://doi.org/10.1109/ICIMCIS60089.2023.10349067>
- Lányi, C. S. (2006). Virtual Reality in Healthcare. In N. Ichalkaranje, A. Ichalkaranje, & L. C. Jain (Eds.), *Intelligent Paradigms for Assistive and Preventive Healthcare* (Vol. 19, pp. 87–116). Springer-Verlag. https://doi.org/10.1007/11418337_3
- Lattie, E. G., Adkins, E. C., Winquist, N., Stiles-Shields, C., Wafford, Q. E., & Graham, A. K. (2019). Digital Mental Health Interventions for Depression, Anxiety, and Enhancement of Psychological Well-Being Among College Students: Systematic Review. *Journal of Medical Internet Research*, 21(7), e12869. <https://doi.org/10.2196/12869>
- Li, G., Sit, H. F., Chen, W., Wu, K., Sou, E. K. L., Wong, M., Chen, Z., Burchert, S., Hong, I. W., Sit, H. Y., Lam, A. I. F., & Hall, B. J. (2024). A WHO digital intervention to address depression among young Chinese adults: A type 1 effectiveness-implementation randomized controlled trial. *Translational Psychiatry*, 14(1), 102. <https://doi.org/10.1038/s41398-024-02812-3>
- Lindner, P. (2021). Better, Virtually: The Past, Present, and Future of Virtual Reality Cognitive Behavior Therapy. *International Journal of Cognitive Therapy*, 14(1), 23–46. <https://doi.org/10.1007/s41811-020-00090-7>

- Lith, T. V. (2016). Art therapy in mental health: A systematic review of approaches and practices. *The Arts in Psychotherapy*, 14.
- Liu, Z., Yang, Z., Xiao, C., Zhang, K., & Osmani, M. (2022). An Investigation into Art Therapy Aided Health and Well-Being Research: A 75-Year Bibliometric Analysis. *INTERNATIONAL JOURNAL OF ENVIRONMENTAL RESEARCH AND PUBLIC HEALTH*, 19(1). <https://doi.org/10.3390/ijerph19010232>
- Lobban, J., & Murphy, D. (2020). Military museum collections and art therapy as mental health resources for veterans with PTSD. *International Journal of Art Therapy*, 25(4), 172–182. <https://doi.org/10.1080/17454832.2020.1845220>
- McAnally, K., & Wallis, G. (2023). Effects of Auditory Feedback on Visually-Guided Movement in Real and Virtual Space. *International Journal of Human-Computer Interaction*, 1–10. <https://doi.org/10.1080/10447318.2023.2216091>
- Mejia-Puig, L., & Chandrasekera, T. (2022). The virtual body in a design exercise: A conceptual framework for embodied cognition. *International Journal of Technology and Design Education*. <https://doi.org/10.1007/s10798-022-09793-8>
- Owens, M., & Bunce, H. (2023). The effect of brief exposure to virtual nature on mental wellbeing in adolescents. *Scientific Reports*, 13(1), 17769. <https://doi.org/10.1038/s41598-023-44717-z>
- Riches, S., Kaleva, I., Nicholson, S. L., Payne-Gill, J., Steer, N., Azevedo, L., Vasile, R., Rumball, F., Fisher, H. L., Veling, W., & Valmaggia, L. (2024). Virtual Reality Relaxation for Stress in Young Adults: A Remotely Delivered Pilot Study in Participants' Homes. *Journal of Technology in Behavioral Science*. <https://doi.org/10.1007/s41347-024-00394-x>
- Shi, Y., Lu, Y., Liu, L., & Liu, E. (2024). Virtual reality painting: A structured review of a decade of innovation. *Metaverse*, 5(1), 2546. <https://doi.org/10.54517/m.v5i1.2546>
- Solmaz, S., Gerling, K., Kester, L., & Van Gerven, T. (2024). Behavioral intention, perception and user assessment in an immersive virtual reality environment with CFD simulations. *Virtual Reality*, 28(2), 88. <https://doi.org/10.1007/s10055-024-00985-2>
- Tricco, A. C., Lillie, E., Zarin, W., O'Brien, K. K., Colquhoun, H., Levac, D., Moher, D., Peters, M. D. J., Horsley, T., Weeks, L., Hempel, S., Akl, E. A., Chang, C., McGowan, J., Stewart, L., Hartling, L., Aldcroft, A., Wilson, M. G., Garritty, C., ... Straus, S. E. (2018). PRISMA Extension for Scoping Reviews (PRISMA-ScR): Checklist and Explanation. *Annals of Internal Medicine*, 169(7), 467–473. <https://doi.org/10.7326/M18-0850>
- Wang, P.-G., Ali, N. M., & Sarker, M. R. (2024). A Bibliometric Analysis Exploring the Acceptance of Virtual Reality among Older Adults: A Review. *Computers*, 13(10), 262. <https://doi.org/10.3390/computers13100262>
- Wiebe, A., Kannen, K., Selaskowski, B., Mehren, A., Thöne, A.-K., Pramme, L., Blumenthal, N., Li, M., Asché, L., Jonas, S., Bey, K., Schulze, M., Steffens, M., Pensel, M. C., Guth, M., Rohlfen, F., Ekhlās, M., Lügering, H., Fileccia, H., ... Braun, N. (2022). Virtual reality in the diagnostic and therapy for mental disorders: A systematic review. *Clinical Psychology Review*, 98, 102213. <https://doi.org/10.1016/j.cpr.2022.102213>
- Yang, P. (2024). Virtual reality tools to support music students to cope with anxiety and overcome stress. *Education and Information Technologies*, 29(13), 16525–16540. <https://doi.org/10.1007/s10639-024-12464-x>
- Yang, X., Cheng, P.-Y., Liu, X., & Shih, S.-P. (2023). The impact of immersive virtual reality on art education: A study of flow state, cognitive load, brain state, and motivation. *Education and Information Technologies*. <https://doi.org/10.1007/s10639-023-12041-8>

- Yang, X., Gebbing, P., Lankut, E., & Lattemann, C. (2023). Virtual Creativity – Bibliometric Literature Review on Measurements and Factors That Influence Creative Virtual Teamwork. *Creativity Research Journal*, 35(4), 568–582. <https://doi.org/10.1080/10400419.2023.2198300>
- Zhang, X. (2022). Problems and Countermeasures of College Students' Mental Health Education. *Journal of Healthcare Engineering*, 2022, 1–6. <https://doi.org/10.1155/2022/6430855>
- Zhao, X., Ren, Y., & Cheah, K. S. L. (2023). Leading Virtual Reality (VR) and Augmented Reality (AR) in Education: Bibliometric and Content Analysis From the Web of Science (2018–2022). *Sage Open*, 13(3), 21582440231190821. <https://doi.org/10.1177/21582440231190821>
- Zuo, G., Wang, R., Wan, C., Zhang, Z., Zhang, S., & Yang, W. (2024). Unveiling the Evolution of Virtual Reality in Medicine: A Bibliometric Analysis of Research Hotspots and Trends over the Past 12 Years. *Healthcare*, 12(13), 1266. <https://doi.org/10.3390/healthcare12131266>