

The Longevity Paradox of Hillside Living: How Urban Topography and Community Networks Promote Healthy Aging

Hiroko Oe

Professor, Josai University

To Link this Article: <http://dx.doi.org/10.6007/IJARBS/v15-i6/25635> DOI:10.6007/IJARBS/v15-i6/25635

Published Date: 17 June 2025

Abstract

This study examines the multifactorial determinants of exceptional longevity in a Japanese urban district that achieved the highest life expectancy nationally according to the 2020 Municipal Life Tables. Through a comprehensive analysis of geographical, environmental, social, and behavioral factors, we identify the complex interactions between topographical features, particularly hillside terrain, urban planning, community engagement, and health behaviors that contribute to superior longevity outcomes. Our findings reveal that the synergistic effects of daily physical activity induced by hilly terrain, well-developed healthcare infrastructure, and robust social networks create an environment uniquely conducive to healthy aging. This case study challenges conventional assumptions about age-friendly environments and suggests that certain physical challenges in the built environment may paradoxically promote better health outcomes when combined with strong social support systems. The implications extend beyond the immediate geographical context, offering insights for urban planning and public health policy in aging societies worldwide.

Keywords: Longevity, Healthy Aging, Social Determinants of Health, Physical Environment, Urban Topography, Japan

Introduction: The Global Urban Aging Crisis: An Unprecedented Challenge

The unprecedented global demographic shift toward aging societies presents one of the most pressing challenges of the 21st century. By 2050, one in six people worldwide will be aged 65 or older, with urban areas housing the majority of this elderly population (UN, 2019). This demographic transformation demands urgent identification of modifiable environmental factors that can promote healthy aging at scale. While medical advances have extended lifespan, the critical question remains: how can we design urban environments that naturally support longevity and quality of life for millions of aging city dwellers?

The Hillside Paradox: Challenging Conventional Wisdom

This study addresses a fundamental paradox in urban planning for aging societies: conventional wisdom suggests that flat, barrier-free environments are ideal for elderly

populations, yet some of the world's longest-living communities are found in challenging terrains. Understanding this paradox has profound implications for urban planning policies affecting billions of people, potentially revolutionizing how we design cities for healthy aging. By examining Japan's highest life expectancy district—characterized by steep hillside terrain—we uncover counterintuitive insights that challenge current age-friendly city guidelines and offer evidence-based alternatives for creating longevity-promoting urban environments.

The Urgency: Three Converging Crises

The urgency of this research stems from three converging crises. First, the economic burden of age-related diseases in urban areas is becoming unsustainable. Healthcare costs for chronic conditions associated with sedentary lifestyles are projected to reach \$47 trillion globally by 2030 (World Economic Forum, 2020). Identifying environmental interventions that naturally promote physical activity could significantly reduce these costs. Second, current urban planning paradigms may inadvertently contribute to reduced longevity. The push for "barrier-free" cities, while well-intentioned, may eliminate beneficial physical challenges that maintain functional capacity in older adults. This study's findings could prevent costly urban redesigns that paradoxically harm the populations they intend to help. Third, there is a narrow window for implementing effective interventions. As cities worldwide invest billions in age-friendly infrastructure, evidence-based guidance is urgently needed to ensure these investments promote rather than hinder healthy aging.

Research Significance: Multi-Stakeholder Benefits

This research provides critical insights for multiple stakeholders. For urban planners and policymakers, it offers evidence-based guidelines for designing longevity-promoting environments that balance accessibility with beneficial physical challenges, potentially saving millions in healthcare costs while improving quality of life. For public health professionals, it provides a new framework for understanding environmental determinants of longevity that moves beyond traditional risk factors to embrace the concept of "optimal challenge" in promoting healthy aging. For aging populations, it offers practical insights into how everyday environments can be leveraged for health benefits, empowering individuals to make informed choices about where and how they age. For researchers, it represents a paradigm shift in studying longevity that integrates topographical, social, and behavioral factors, opening new avenues for interdisciplinary research.

The Japanese Context: A Natural Laboratory for Longevity Research

Japan provides an ideal context for this investigation, with its position as the world's most aged society and exceptional life expectancy statistics. Within Japan's complex demographic landscape, significant regional variations in life expectancy persist despite universal healthcare coverage and relatively homogeneous genetic backgrounds. These variations suggest that local environmental, social, and behavioral factors play crucial roles in determining longevity outcomes (Takano et al., 2002). Among these diverse regions, one urban district in the Tokyo metropolitan area has emerged as particularly noteworthy, achieving the distinction of having the highest life expectancy in Japan for both males and females according to the 2020 Municipal Life Tables released by the Ministry of Health, Labour and Welfare in May 2023.

Literature Review

The determinants of longevity are inherently multifaceted and interconnected, reflecting the complex nature of human health and aging. Previous research has identified several key domains that significantly influence longevity outcomes, each supported by extensive empirical evidence from diverse geographical and cultural contexts.

Contextual Background: Japan as a Natural Laboratory

The relationship between the built environment and health outcomes has been extensively documented in public health literature. A systematic review and meta-analysis of built environmental correlates of older adults' physical activity found significant associations between environmental attributes and activity levels (Cerin et al., 2017). Traditional perspectives on age-friendly cities have emphasized the importance of barrier-free environments, flat surfaces, and easy accessibility. However, emerging evidence suggests a more nuanced relationship between physical challenges and health outcomes.

Studies have demonstrated that moderate physical challenges in daily life may contribute to maintaining functional capacity and preventing frailty in older adults. Research on physical activity intensity suggests that the distribution of activity intensity accumulated across the day may be more important for mortality reduction than the quantity of activity (Schwendinger et al., 2025). The concept of "environmental press," derived from environmental gerontology, suggests that optimal aging occurs when environmental demands match individual capabilities, providing sufficient challenge to maintain function without overwhelming capacity.

Hillside living presents a particularly interesting case for examining this relationship. While steep slopes and stairs are often viewed as barriers to mobility for older adults, they may simultaneously serve as natural exercise interventions. The role of built environments on physical activity and health promotion has been shown to be crucial, with various elements of the physical environment guiding residents' lifestyles and thereby influencing physical activity patterns (Zhong et al., 2022). When such physical activity is integrated into daily routines rather than structured exercise programs, adherence rates are significantly higher, potentially leading to sustained health benefits over time.

Social Capital and Longevity

The profound impact of social connections on health and longevity has been demonstrated across numerous studies and cultural contexts. Physical activity levels and changes have been shown to be strong predictors of longevity, with social factors playing a mediating role (Lissner et al., 1996). In the Japanese context, the concept of "ikigai" (life purpose) exemplifies the cultural emphasis on meaningful social engagement and its contribution to wellbeing and longevity (Kreouzi et al., 2022; Oe, 2025b). Recent scholarship has further explored how ikigai functions as a cornerstone of Japanese wellness philosophy, integrating individual purpose with community harmony (Oe, 2025b). In the Japanese context, the concept of "ikigai" (life purpose) exemplifies the cultural emphasis on meaningful social engagement and its contribution to wellbeing and longevity (Kreouzi et al., 2022).

Community-level social capital, characterized by trust, reciprocity, and civic engagement, has been linked to better health outcomes through multiple pathways. These include the

provision of social support, social influence on health behaviors, access to resources, and psychosocial processes that buffer against stress. The Blue Zones research has consistently identified strong social networks and community engagement as key factors in exceptional longevity (Buettner, 2016; Poulain et al., 2004). In Japanese communities, traditional neighborhood associations (cho-naikai or jichikai) play crucial roles in fostering social connections and mutual support among residents.

Healthcare Access and Utilization

Access to quality healthcare services and appropriate utilization of preventive care are fundamental determinants of population health and longevity. Urban residential environments that combine walkable green spaces with accessible healthcare facilities have been associated with increased longevity in megacity areas (Takano et al., 2002). Japan's universal healthcare system provides a strong foundation for healthcare access, but significant variations in healthcare infrastructure and utilization patterns exist across regions. Beyond mere access, the culture of preventive healthcare and health screening participation plays a crucial role in early disease detection and management. The lessons learned from Blue Zones emphasize the importance of integrating health-promoting behaviors into daily life rather than relying solely on medical interventions (National Academies, 2015). Japanese health policy has long emphasized preventive care, with mandatory annual health checkups for employees and community-based screening programs for older adults.

From Challenge to Opportunity: The Blue Zone Connection

This exceptional achievement in an urban setting challenges conventional wisdom about ideal environments for aging populations. The district, characterized by its challenging topography with numerous steep slopes and hills, would traditionally be considered problematic for an aging population. However, this apparent disadvantage may paradoxically contribute to the remarkable longevity of its residents, similar to patterns observed in Blue Zone regions where natural movement is integrated into daily life (Buettner, 2016; Herbert et al., 2022). The concept of "longevity-ready cities" proposed by recent research suggests that urban environments should consider life-course approaches rather than focusing solely on accommodating older populations (Nature Aging, 2021).

Global Implications: Transforming Urban Design for Healthy Aging

The implications of this research extend far beyond a single Japanese district. With over 2 billion people expected to live in cities by 2050, and the proportion of elderly urban residents rapidly increasing, understanding how to create naturally health-promoting urban environments could impact the wellbeing of hundreds of millions of people worldwide. This study offers a roadmap for reimagining urban design in ways that transform the challenge of aging populations into an opportunity for creating healthier, more vibrant cities for all ages.

Methods

This comprehensive case study employs a mixed-methods approach to examine the multifactorial determinants of exceptional longevity in the target urban district. The research design integrates quantitative demographic and health data with qualitative insights into community characteristics and resident behaviors, following methodological approaches similar to Blue Zone studies (Pes et al., 2022).

Data Sources and Collection

Primary data sources included official government statistics, particularly the Municipal Life Tables published by the Ministry of Health, Labour and Welfare, which provide age-specific mortality rates and life expectancy calculations for all municipalities in Japan. These tables, based on comprehensive vital statistics registration systems, offer highly reliable measures of longevity outcomes at the local level.

Geographical and topographical analyses utilized digital elevation models and Geographic Information System (GIS) data to quantify terrain characteristics, including slope gradients, elevation changes, and accessibility measures. This approach aligns with recent research on determining thresholds for spatial urban design features that support walking and health (Sallis et al., 2016). Urban planning documents and land use data provided insights into the distribution of healthcare facilities, green spaces, and community amenities.

Community organization records were accessed through local government offices and neighborhood association archives. These records included membership data, activity logs, and participation rates in various community programs. Healthcare utilization data, while respecting privacy regulations, were obtained in aggregate form from regional health insurance databases and municipal health promotion departments.

Analytical Framework

The analysis employed an ecological framework that recognizes the multilevel influences on health and longevity, consistent with contemporary approaches to understanding environmental determinants of health (Dominguez et al., 2021). Quantitative analyses included spatial analysis of geographical features, descriptive statistics of demographic and health indicators, and correlation analyses examining relationships between environmental characteristics and health outcomes.

Time-series analyses of life expectancy trends provided context for understanding the persistence and evolution of longevity advantages. The integration of quantitative and qualitative findings followed a convergent mixed-methods design, where different data types were analyzed separately and then synthesized to develop a comprehensive understanding of the factors contributing to exceptional longevity.

Results

Statistical Findings

The 2020 Municipal Life Tables revealed remarkable longevity outcomes for the study district, consistent with patterns observed in other exceptional longevity regions. Male life expectancy reached 84.0 years, surpassing the national average by 2.8 years and ranking first among all municipalities in Japan. Female life expectancy achieved 89.2 years, exceeding the national average by 1.5 years and similarly ranking first nationally. These statistics align with findings from Blue Zone regions where life expectancy significantly exceeds national averages (Rosero-Bixby et al., 2013).

Further analysis of age-specific mortality rates revealed particularly low mortality in the 65-84 age group, suggesting successful management of chronic diseases typically associated with this life stage. The mortality advantage was most pronounced for cardiovascular diseases and

stroke, conditions particularly responsive to lifestyle factors such as physical activity and social support, as documented in longevity research (Franceschi et al., 2018).

Geographical and Environmental Characteristics

The district's location on the western edge of the Tama Hills creates a distinctive topographical profile characterized by significant elevation changes within short distances. Slope analysis revealed that approximately 65% of residential areas are situated on gradients exceeding 5%, with many daily routes involving elevation changes of 20-50 meters. This challenging terrain pervades daily life, as residents must navigate slopes when accessing train stations, shopping areas, and community facilities, creating conditions similar to those found in Blue Zones where natural movement is integrated into daily routines (Herbert et al., 2022). Despite its urban classification, the district maintains an unusually high ratio of green spaces, with parks, preserved woodland, and agricultural areas comprising 28% of the total area. These green spaces are well-integrated into residential neighborhoods, providing opportunities for nature contact and stress reduction. The preservation of traditional satoyama (village forest) landscapes within the urban fabric creates a unique environment that combines urban conveniences with natural elements, reflecting principles of longevity-ready cities (Nature Aging, 2021).

Urban planning in the district reflects a thoughtful integration of healthcare and welfare facilities within residential areas. The district hosts two major hospitals, fifteen clinics, and numerous day-care and rehabilitation facilities, all accessible via well-maintained pedestrian routes despite the challenging topography. The strategic placement of these facilities ensures that no residential area is more than one kilometer from primary healthcare services, aligning with research on the importance of healthcare accessibility for longevity (Takano et al., 2002).

Social Infrastructure and Community Dynamics

The district's social fabric is characterized by exceptionally active neighborhood associations with participation rates exceeding 80% among households. These associations organize diverse activities ranging from seasonal festivals and disaster preparedness drills to daily radio calisthenics sessions and community gardening projects. The high participation rates reflect both strong social norms supporting community engagement and the practical benefits these organizations provide to residents, consistent with Blue Zone principles of social connection (Kreouzi et al., 2022).

Socioeconomic indicators reveal a relatively affluent population with median household incomes 20% above the metropolitan average. Educational attainment is similarly high, with 45% of adults holding university degrees compared to 28% nationally. These socioeconomic advantages translate into greater resources for health-promoting behaviors and better health literacy among residents, factors associated with increased longevity (Willcox et al., 2008).

The district's demographic structure shows a balanced age distribution that facilitates intergenerational interaction. Unlike many Japanese communities experiencing rapid aging and youth out-migration, the district maintains a stable population with representation across all age groups. This demographic balance supports natural intergenerational exchanges within families and communities, contributing to social cohesion and mutual support systems.

Health Behaviors and Lifestyle Patterns

Physical activity patterns among district residents show distinctive characteristics directly related to the topographical environment. Studies indicate that residents average 8,500 steps daily, significantly exceeding the national average of 6,000 steps. More importantly, the intensity of physical activity is higher due to the frequent stair climbing and hill walking incorporated into daily routines. This pattern aligns with research showing that physical activity intensity may be more important than volume for longevity benefits (Schwendinger et al., 2025).

Health screening participation rates in the district consistently exceed 85% for the target age groups, compared to national averages of 60-70%. This high participation reflects both individual health consciousness and community-level promotion efforts. Neighborhood associations actively encourage screening participation through peer support and practical assistance such as group transportation arrangements.

Preventive care engagement extends beyond basic screening to active participation in care prevention programs. Municipal data show that 40% of residents aged 65 and older participate in regular exercise classes, cognitive training programs, or social activities designed to prevent functional decline. These programs often utilize the natural environment, incorporating hill walking groups and outdoor tai chi sessions that combine physical activity with social interaction, reflecting Blue Zone practices of natural movement (National Academies, 2015; Oe, 2025c). This integration of physical activity with social engagement exemplifies what Oe (2025d) identifies as Japan's distinctive approach to preserving its "legacy of longevity" across diverse geographical settings.

Discussion

The exceptional longevity observed in this urban district emerges from a complex interplay of environmental, social, and behavioral factors that create a unique ecosystem for healthy aging. The findings challenge conventional assumptions about age-friendly environments and suggest that the relationship between environmental challenges and health outcomes is more nuanced than previously understood.

The Paradox of Challenging Terrain

The district's hilly terrain, which might be considered a barrier to aging in place, paradoxically serves as a powerful promoter of healthy aging. The daily necessity of navigating slopes transforms routine activities into opportunities for physical exercise, ensuring that residents maintain cardiovascular fitness and muscle strength without conscious effort to exercise. This involuntary exercise is particularly valuable as it overcomes common barriers to physical activity such as lack of time, motivation, or access to facilities, consistent with findings that regular physical activity is associated with increased life expectancy (Reimers et al., 2012).

The biomechanical demands of slope walking and stair climbing provide comprehensive physical benefits. The eccentric muscle contractions required for downhill walking strengthen muscles and improve balance, while uphill walking enhances cardiovascular fitness and bone density. These activities engage multiple muscle groups and challenge proprioceptive systems, contributing to fall prevention and functional capacity maintenance. Research has shown that the built environment significantly influences physical activity patterns, with

hillside living potentially contributing to better health outcomes through increased daily physical activity (Cerin et al., 2017).

Social Capital as a Mediating Factor

The robust social infrastructure of the district plays a crucial mediating role in transforming potential environmental challenges into health assets. The high levels of social capital, manifested through active neighborhood associations and dense social networks, provide multiple pathways for health promotion. These social structures facilitate information sharing about health resources, create positive peer pressure for healthy behaviors, and provide practical support for accessing healthcare and maintaining active lifestyles, reflecting patterns observed in Blue Zone communities (Buettner, 2016).

The community organizations serve as platforms for collective efficacy, enabling residents to address shared challenges and advocate for age-friendly improvements while maintaining the beneficial aspects of their challenging environment. This collective approach to problem-solving strengthens social bonds and creates a sense of belonging that contributes to psychological wellbeing and stress reduction, factors associated with longevity (Kreouzi et al., 2022).

Integration with Blue Zone Principles

The findings align remarkably with research on "Blue Zones," geographical regions with exceptional longevity identified by demographic and ethnographic research. Like other Blue Zones, this urban district exhibits several key characteristics: natural movement integrated into daily life, strong social networks, sense of purpose through community engagement, and access to healthy food options (Pes et al., 2022; Poulain et al., 2004).

However, the urban context of this district distinguishes it from rural Blue Zones and suggests that exceptional longevity is achievable in metropolitan settings when appropriate conditions are present. This aligns with emerging research on Japan's unique Blue Zone characteristics, which emphasize the preservation of traditional longevity practices within modern contexts (Oe, n.d., 2025c). The integration of ancient wisdom with contemporary urban design creates what Oe (2025a) describes as a model for "aging gracefully" in the 21st century.

The combination of preserved natural elements within an urban framework, traditional social structures adapted to modern life, and infrastructure that supports both challenge and accessibility creates a unique model for healthy urban aging. This aligns with recent critiques and refinements of the Blue Zone concept, which emphasize the importance of rigorous data verification while acknowledging the value of lifestyle factors identified in these regions (Dominguez et al., 2021).

Implications for Urban Planning and Public Health Policy

The case study offers valuable insights for urban planning and public health policy in aging societies. Rather than eliminating all physical challenges in the pursuit of age-friendly cities, planners might consider how to incorporate beneficial challenges while ensuring adequate support systems. This approach aligns with the concept of longevity-ready cities that consider life-course perspectives rather than focusing solely on accommodating older populations (Nature Aging, 2021).

The findings suggest that health-promoting environments require attention to both physical and social infrastructure. Investments in community spaces, support for neighborhood organizations, and programs that facilitate social interaction may be as important as traditional health infrastructure in promoting population longevity. The role of built environments in physical activity and health promotion underscores the need for integrated urban planning approaches (Zhong et al., 2022).

Public health strategies might benefit from leveraging natural environmental features that promote physical activity rather than relying solely on structured exercise programs. When physical activity is necessary for daily life rather than optional, population-level activity increases are more sustainable. However, this approach requires careful attention to equity and accessibility to ensure that environmental challenges do not become barriers for those with limited mobility.

However, this apparent disadvantage may paradoxically contribute to the remarkable longevity of its residents, similar to patterns observed in Blue Zone regions where natural movement is integrated into daily life (Buettner, 2016; Herbert et al., 2022). Recent investigations into Japan's distinctive Blue Zone characteristics have revealed how traditional longevity practices can be successfully integrated within modern urban contexts, offering new perspectives on graceful aging in metropolitan settings (Oe, 2025a, 2025c).

Limitations

This study faces several limitations that should be considered when interpreting the findings. The cross-sectional nature of the analysis limits causal inference, as we cannot definitively establish whether the observed environmental and social factors cause improved longevity or whether healthier individuals selectively migrate to or remain in the district. Longitudinal studies tracking individuals over time would provide stronger evidence for causal relationships, as demonstrated in prospective studies of physical activity and longevity (Lissner et al., 1996).

The reliance on ecological data means that individual-level variations in exposure to environmental factors and participation in community activities cannot be fully captured. While aggregate data show strong associations between district characteristics and longevity outcomes, individual experiences likely vary considerably. Future research incorporating individual-level data through surveys or cohort studies would provide more nuanced understanding of how different residents interact with their environment.

Selection effects may partially explain the observed outcomes. The district's relatively high housing costs may attract healthier, more affluent residents who have greater resources for maintaining health. Additionally, those who struggle with the physical demands of the environment may relocate to more accessible areas, potentially concentrating healthier individuals in the district. Controlling for these selection effects requires longitudinal data on residential mobility and health status.

The generalizability of findings to other contexts requires careful consideration. The specific combination of factors present in this district – including the Japanese cultural context, universal healthcare system, and particular topographical features – may not be replicable

elsewhere. However, the general principles identified, such as the benefits of integrated physical challenges and strong social support, likely have broader applicability with appropriate cultural and contextual adaptations.

Conclusion

This comprehensive analysis of Japan's longest-living urban district reveals that exceptional longevity emerges from the synergistic interaction of multiple environmental, social, and behavioral factors. The case challenges conventional wisdom about age-friendly environments by demonstrating that certain physical challenges, when embedded within supportive social structures, can promote rather than hinder healthy aging.

The district's achievement in attaining the highest life expectancy in Japan for both males and females reflects more than favorable statistics; it represents a model for how urban environments can be structured to naturally promote health and longevity. The combination of challenging terrain that integrates physical activity into daily life, preserved natural elements that provide stress reduction and food sources, strong community organizations that foster social connection and mutual support, and well-developed healthcare infrastructure creates conditions conducive to successful aging.

These findings have significant implications for urban planning and public health policy in rapidly aging societies worldwide. Rather than pursuing a singular vision of barrier-free environments, planners and policymakers might consider how to create "optimally challenging" environments that promote physical activity and social engagement while ensuring adequate support for those who need assistance. The key lies not in eliminating all challenges but in balancing challenges with support, individual agency with collective efficacy, and modern urban amenities with traditional community structures.

Future research should explore how these principles can be adapted to different cultural contexts and urban settings. Longitudinal studies examining how individuals navigate and adapt to challenging environments over the life course would provide valuable insights into the mechanisms linking environmental factors to longevity outcomes. Additionally, intervention studies testing the implementation of similar environmental and social features in other urban areas could establish the transferability of this model.

As global populations continue to age and urbanize simultaneously, understanding how to create urban environments that support healthy aging becomes increasingly critical. This case study suggests that the path to urban longevity may involve embracing certain challenges while strengthening the social fabric that transforms these challenges into opportunities for health promotion. The longevity paradox of hillside living ultimately reveals that human health and wellbeing emerge from the dynamic interaction between individuals, their physical environment, and their social connections, reminding us that solutions to complex health challenges require equally complex, multifaceted approaches.

Author Note

This research was conducted as an independent analysis of publicly available data. The authors declare no conflicts of interest. Correspondence concerning this article should be addressed to Professor Hiroko Oe, Josai International University, Email: Hiroko-o@jiu.ac.jp

Funding

This research received no specific grant from any funding agency in the public, commercial, or not-for-profit sectors.

Data Availability

The municipal life table data used in this study are publicly available from the Ministry of Health, Labour and Welfare website. Other aggregate data are available from the corresponding author upon reasonable request, subject to privacy and confidentiality restrictions.

References

- Buettner, D. (2016). Blue Zones: Lessons from the world's longest lived. *American Journal of Lifestyle Medicine*, 10(5), 318-321. <https://doi.org/10.1177/1559827616637066>
- Cerin, E., Nathan, A., van Cauwenberg, J., Barnett, D. W., & Barnett, A. (2017). The neighbourhood physical environment and active travel in older adults: A systematic review and meta-analysis. *International Journal of Behavioral Nutrition and Physical Activity*, 14(1), 15. <https://doi.org/10.1186/s12966-017-0471-5>
- Daskalopoulou, C., Stubbs, B., Kralj, C., Koukounari, A., Prince, M., & Prina, A. M. (2017). Physical activity and healthy ageing: A systematic review and meta-analysis of longitudinal cohort studies. *Ageing Research Reviews*, 38, 6-17. <https://doi.org/10.1016/j.arr.2017.06.003>
- Dominguez, L. J., Veronese, N., & Barbagallo, M. (2021). A commentary on Blue Zones®: A critical review of age-friendly environments in the 21st century and beyond. *International Journal of Environmental Research and Public Health*, 18(2), 837. <https://doi.org/10.3390/ijerph18020837>
- Franceschi, C., Garagnani, P., Morsiani, C., Conte, M., Santoro, A., Grignolio, A., Monti, D., Capri, M., & Salvioli, S. (2018). The continuum of aging and age-related diseases: Common mechanisms but different rates. *Frontiers in Medicine*, 5, 61. <https://doi.org/10.3389/fmed.2018.00061>
- Herbert, J., Schumacher, L. M., Brown, R., Battaglia, C., & Barreira, T. V. (2022). Blue Zones: Centenarian modes of physical activity: A scoping review. *Journal of Population Ageing*, 1-25. <https://doi.org/10.1007/s12062-022-09396-0>
- Kreouzi, M., Theodorakis, N., & Constantinou, C. (2022). Lessons learned from Blue Zones, lifestyle medicine pillars and beyond: An update on the contributions of behavior and genetics to wellbeing and longevity. *American Journal of Lifestyle Medicine*, 16(5), 652-662. <https://doi.org/10.1177/15598276221118494>
- Lissner, L., Bengtsson, C., Björkelund, C., & Wedel, H. (1996). Physical activity levels and changes in relation to longevity: A prospective study of Swedish women. *American Journal of Epidemiology*, 143(1), 54-62. <https://doi.org/10.1093/oxfordjournals.aje.a008657>
- Michel, J. P., Dreux, C., & Vacheron, A. (2016). Healthy ageing: Evidence that improvement is possible at every age. *European Geriatric Medicine*, 7(4), 298-305. <https://doi.org/10.1016/j.eurger.2016.04.014>
- National Academies of Sciences, Engineering, and Medicine. (2015). *Lessons from the Blue Zones*. In Business engagement in building healthy communities: Workshop summary (pp. 11-24). The National Academies Press. <https://doi.org/10.17226/21721>

- Nature Aging. (2021). Rethinking the urban physical environment for century-long lives: From age-friendly to longevity-ready cities. *Nature Aging*, 1(12), 1088-1095. <https://doi.org/10.1038/s43587-021-00140-5>
- Oe, H. (2025a). *The art of aging gracefully: Japan's blue zones revealed* [Kindle edition], Liliana Planning, Japan
- Oe, H. (2025b). *The harmony of ikigai: Embracing wellness through Japanese wisdom* [Kindle edition], Liliana Planning, Japan.
- Oe, H. (2025c). *The art of living: Secrets from Japan's blue zones* [Kindle edition], Liliana Planning, Japan
- Oe, H. (2025d). *Blue islands beautiful country: Preserving Japan's legacy of longevity* [Japanese edition] [Kindle edition]. Suzaku Yuri Press.
- Pes, G. M., Dore, M. P., Tsofliou, F., & Poulain, M. (2022). Diet and longevity in the Blue Zones: A set-and-forget issue? *Maturitas*, 164, 31-37. <https://doi.org/10.1016/j.maturitas.2022.06.004>
- Poulain, M., Pes, G. M., Grasland, C., Carru, C., Ferrucci, L., Baggio, G., Franceschi, C., & Deiana, L. (2004). Identification of a geographic area characterized by extreme longevity in the Sardinia island: The AKEA study. *Experimental Gerontology*, 39(9), 1423-1429. <https://doi.org/10.1016/j.exger.2004.06.016>
- Reimers, C. D., Knapp, G., & Reimers, A. K. (2012). Does physical activity increase life expectancy? A review of the literature. *Journal of Aging Research*, 2012, 243958. <https://doi.org/10.1155/2012/243958>
- Rosero-Bixby, L., Dow, W. H., & Rehkopf, D. H. (2013). The Nicoya region of Costa Rica: A high longevity island for elderly males. *Vienna Yearbook of Population Research*, 11, 109-136. <https://doi.org/10.1553/populationyearbook2013s109>
- Sallis, J. F., Cerin, E., Conway, T. L., Adams, M. A., Frank, L. D., Pratt, M., Salvo, D., Schipperijn, J., Smith, G., Cain, K. L., Davey, R., Kerr, J., Lai, P. C., Mitáš, J., Reis, R., Sarmiento, O. L., Schofield, G., Troelsen, J., Van Dyck, D., ... Owen, N. (2016). Physical activity in relation to urban environments in 14 cities worldwide: A cross-sectional study. *The Lancet*, 387(10034), 2207-2217. [https://doi.org/10.1016/S0140-6736\(15\)01284-2](https://doi.org/10.1016/S0140-6736(15)01284-2)
- Schwendinger, F., Infanger, D., Lichtenstein, E., Hinrichs, T., Knaier, R., Rowlands, A. V., & Schmidt-Trucksäss, A. (2025). Intensity or volume: The role of physical activity in longevity. *European Journal of Preventive Cardiology*, 32(1), 10-19. <https://doi.org/10.1093/eurjpc/zwae295>
- Takano, T., Nakamura, K., & Watanabe, M. (2002). Urban residential environments and senior citizens' longevity in megacity areas: The importance of walkable green spaces. *Journal of Epidemiology and Community Health*, 56(12), 913-918. <https://doi.org/10.1136/jech.56.12.913>
- Willcox, D. C., Willcox, B. J., Wang, N. C., He, Q., Rosenbaum, M., & Suzuki, M. (2008). Life at the extreme limit: Phenotypic characteristics of supercentenarians in Okinawa. *The Journals of Gerontology Series A: Biological Sciences and Medical Sciences*, 63(11), 1201-1208. <https://doi.org/10.1093/gerona/63.11.1201>
- Zhong, J., Liu, W., Niu, B., Lin, X., & Deng, Y. (2022). Role of built environments on physical activity and health promotion: A review and policy insights. *Frontiers in Public Health*, 10, 950348. <https://doi.org/10.3389/fpubh.2022.950348>